CERAMIC SURFACE MOUNT MICROPROCESSOR CRYSTAL

ABMM





FEATURES:

- Suitable for RoHS reflow
- Low height 1.3 mm max
- AT-strip cut offers a tight tolerance & stability

> APPLICATIONS:

- Computers, Modems, Microprocessors
- Communication, Test equipment
- PCMCIA

STANDARD SPECIFICATIONS:

PARAMETERS			
ABRACON P/N	ABMM		
Frequency Range	6.0 MHz to 125 MHz		
Operation Mode	AT-cut 6.0 MHz ~ 33.0 MHz (Fundamental: Standard) 33.01 MHz - 125 MHz (Third-Overtone: Standard) 33.01 MHz ~ 50.0 MHz (Fundamental: Please spedcify. See options)		
Operating Temperature	- 10°C to + 60°C (see options)		
Storage Temperature	- 40°C to + 85°C		
Frequency Tolerance at +25°C	± 50 ppm max. (see options)		
Frequency Stability over the Operating Temp. (Ref to +25°C)	± 50 ppm max. (see options)		
Equivalent Series Resistance	See Table 1		
Shunt Capacitance C ₀	7pF max.		
Load Capacitance C _L	18pF (see options)		
Drive Level	500μW max., 100μW typical		
Aging at 25°C (first year)	± 5ppm max.		
Insulation Resistance	500 M Ω min at 100 Vdc ± 15 V		

TABLE 1: STANDARD ESR

OPTIONS & PART IDENTIFICATION:

Frequency (MHz)	ESR (Ω) Max	Frequency (MHz)	ESR (Ω) Max
6.000 - 11.999(Fund)	70	20.000 - 50.000(Fund)	40
12.000 - 20.000(Fund)	50	33.000 - 125.00(3rd O/T)	80



Freq. Tolerance
1: ± 10 ppm
7: ± 15 ppm
2: ± 20 ppm
3: ± 25 ppm
4: ± 30 ppm

Freq. Stability
U: ± 10 ppm (*)
G: ± 15 ppm (**)
X: ± 20 ppm
W: ± 25 ppm
Y: ± 30 ppm
H: ± 35 ppm

- * -10 to +60°C only.
- ** Option E, B, and 10 to +60°C only.






CERAMIC SURFACE MOUNT MICROPROCESSOR CRYSTAL

ABMM







OUTLINE DRAWING:



► TAPE & REEL:

REFLOW PROFILE:







Need a test socket for the ABMM Series? To view compatible **PRECISION TEST & BURN-IN SOCKETS** for these parts, **click here.**

ATTENTION Abracon Corporation's products are COTS— Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



